	Hits		DBs
		(((stor\$4 near9 device) or	
		container or holder or bath) same	
		(liquid or solvent or solution or	
		ether or (TPM near6 ether) or	
		(\$4propylene near8 glycol near12	
		ether)) same (remov\$4 or	
		dissolv\$4 or strip\$4 or	
		eliminat\$4) same ((wafer or	
		substrate) near16 (resin\$4 or	
		photoresist or resist) near29	
	0	(submers\$4 or immers\$4) near19	
		(bath or container or holder or	
		storage) near29 (solvent or	
		solution or ether or liquid)))	
		and ((resin or photoresist or	
		resist) near16 (substrate or	US-PGPUB;
		water) near20 (expos\$4 or	USPAT; FPRS; EPO; JPO;
44		illuminat\$4 or irradiat\$4)) and	
		((resist or resin or photoresist)	
		same (fluid or solution or liquid	
		or solvent or strip\$4) same	
		(conductivit\$4 or electric\$4 or	
		conduct\$4 or resistivity or	
		resistance or impedance or	
		capacitance) same (alter\$4 or	
		chang\$4 or increas\$4 or vary\$4 or	
		decrease or variation)) and	
		((monitor\$4 or determin\$4 or	
		calculat\$4 or measur\$4) same	
		(conductivit\$4 or conductance or	
		capacitance or impedance or	
		resistance or electric\$4 or	
		current) same (LED or (light	
		near5 emit\$5 near6 diode) or	
		(visual near9 display) or	
		computer or sensor))	

	Hits		DBs
		(((stor\$4 near9 device) or	
		container or holder or bath) same	
		(liquid or solvent or solution or	
		ether or (TPM near6 ether) or	
		(\$4propylene near8 glycol near12	
		ether)) same (remov\$4 or	
		dissolv\$4 or strip\$4 or	
		eliminat\$4) same ((wafer or	
		substrate) near16 (resin\$4 or	
		photoresist or resist) near29	
	0	(submers\$4 or immers\$4) near19	
		(bath or container or holder or	
		storage) near29 (solvent or	
		solution or ether or liquid)))	
		and ((resin or photoresist or	
		resist) near16 (substrate or	
		wafer) near20 (expos\$4 or	
45		illuminat\$4 or irradiat\$4)) and	US-PGPUB
1		((resist or resin or photoresist)	
		same (fluid or solution or liquid	
		or solvent or strip\$4) same	
		(conductivit\$4 or electric\$4 or	
		conduct\$4 or resistivity or	
		resistance or impedance or	
		capacitance) same (alter\$4 or	
		chang\$4 or increas\$4 or vary\$4 or	
		decrease or variation)) and	
		((monitor\$4 or determin\$4 or	
		calculat\$4 or measur\$4) same	
		(conductivit\$4 or conductance or	
		capacitance or impedance or	
		resistance or electric\$4 or	
		current) same (LED or (light	
		near5 emit\$5 near6 diode) or	
		(visual near9 display) or	
		computer or sensor))	

	Hits	Search Text	DBs
		(((stor\$4 near9 device) or	
		container or holder or bath) same	
		(liquid or solvent or solution or	
		ether or (TPM near6 ether) or	
		(\$4propylene near8 glycol near12	
		ether)) same (remov\$4 or	
		dissolv\$4 or strip\$4 or	
		eliminat\$4) same ((wafer or	
		substrate) near16 (resin\$4 or	
		photoresist or resist) near29	
		(submers\$4 or immers\$4) near19	
		(bath or container or holder or	
		storage) near29 (solvent or	
		solution or ether or liquid)))	
		and ((resin or photoresist or	
		resist) near16 (substrate or	
		wafer) near20 (expos\$4 or	US-PGPUB;
			USPAT; FPRS;
46	0	((resist or resin or photoresist)	
		same (fluid or solution or liquid	
		1	IBM_TDB
		(conductivit\$4 or electric\$4 or	
		conduct\$4 or resistivity or	
		resistance or impedance or	
		capacitance) same (alter\$4 or	
		chang\$4 or increas\$4 or vary\$4 or	
		decrease or variation)) and	
		((monitor\$4 or determin\$4 or	
		calculat\$4 or measur\$4 or	
		indicat\$4) same (conductivit\$4 or	
		conductance or capacitance or	
		impedance or resistance or	
		electric\$4 or current or volt\$3)	
		same (LED or (light near5 emit\$5	
		near6 diode) or (visual near9	
		display) or computer or sensor or	
		(comput\$3 near4 monitor)))	

47	39	(conductivit\$4 or electric\$4) same (alter\$4 or chang\$4 or increas\$4 or vary\$4 or decrease or variation) same (monitor\$4 or determin\$4 or calculat\$4 or	
		measur\$4) same (computer or (comput\$3 near4 monitor)))	

	Hits	Search Text	DBs
48	66	resistance or electrics4 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	64		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	26	bresistance or electrics4 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

		(((stor\$4 near9 device) or	
		container or holder or bath) same	
		(liquid or solvent or solution or	
		ether or (TPM near6 ether) or	
		(\$4propylene near8 glycol near12	
		ether)) same (remov\$4 or	
		dissolv\$4 or develop\$4 or	
		solubiliz\$5 or strip\$4) same	US-PGPUB;
		(resin\$4 or photoresist or resist	USPAT; FPRS;
51	36	or polymer\$3) same (conductivit\$4	EPO; JPO;
		or electric\$4 or conduct\$4 or	DERWENT;
		resistivity or resistance or	IBM_TDB
		impedance)) and ((monitor\$4 or	
		determin\$4 or calculat\$4 or	
		measur\$4) same (conductivit\$4 or	
		conductance or impedance or	
		resistance) same ((visual near5	
		display) or computer or (display	
		near9 panel)))	

	Hits	Search Text	DBs
52	73	((liquid or solvent or solution or ether or (TPM near6 ether) or (\$4propylene near8 glycol near12 ether)) same (remov\$4 or dissolv\$4 or develop\$4 or solubiliz\$5 or strip\$4) same (resin\$4 or photoresist or resist or polymer\$3) same (conductivit\$4 or electric\$4 or conduct\$4 or resistivity or resistance or impedance) same (monitor\$4 or	USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB
53	60	S54 NOT S53	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB
54	57		US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB